

# 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

## HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

### FOR STUDENTS WITH DISABILITIES

The following frequency distributions are based upon surveys with 1,266 high school students with disabilities in Montana during February of 2009. Frequency distributions may not total 1,266 due to non-response and percents may not total 100 percent due to rounding.

<i>Q-1. How old are you?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 12 years old or younger	8	0.6%
b. 13 years old	1	0.1%
c. 14 years old	127	10.1%
d. 15 years old	342	27.2%
e. 16 years old	327	26.0%
f. 17 years old	267	21.2%
g. 18 years old or older	186	14.8%
<b>Total</b>	<b>1,258</b>	<b>100.0%</b>

<i>Q-2. What is your sex?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Female	572	45.7%
b. Male	679	54.3%
<b>Total</b>	<b>1,251</b>	<b>100.0%</b>

<i>Q-3. In what grade are you?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 9th grade	402	32.3%
b. 10th grade	334	26.8%
c. 11th grade	282	22.7%
d. 12th grade	217	17.4%
e. Ungraded or other	9	0.7%
<b>Total</b>	<b>1,244</b>	<b>100.0%</b>

<i>Q-4. Are you Hispanic or Latino?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	118	9.6%
b. No	1,110	90.4%
<b>Total</b>	<b>1,228</b>	<b>100.0%</b>

<i>Q-5. What is your race?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. American Indian or Alaskan Native	225	17.8%
b. Asian	29	2.3%
c. Black or African American	38	3.0%
d. Native Hawaiian or Other Pacific Islander	27	2.1%
e. White	992	78.4%
(More than one response allowed)	<b>Total</b>	<b>1,311</b>
		<b>103.6%</b>

<i>Q-6. How tall are you without your shoes on?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Less than 4 ft	7	0.6%
b. 4ft to 4 ft, 6 in	3	0.2%
c. 4ft, 7in to 5 ft	30	2.4%
d. 5ft, 1in to 5ft, 6in	492	39.7%
e. Over 5ft, 6in	706	57.0%
<b>Total</b>	<b>1,238</b>	<b>100.0%</b>

# 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

## HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

### FOR STUDENTS WITH DISABILITIES

<i>Q-7. How much do you weigh without your shoes on?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Less than 90 lbs	5	0.4%
b. 90-99 lbs	21	1.7%
c. 100-109 lbs	49	4.0%
d. 110-119lbs	106	8.7%
e. 120-129 lbs	150	12.3%
f. 130-139 lbs	165	13.5%
g. 140 lbs +	725	59.4%
<b>Total</b>	<b>1,221</b>	<b>100.0%</b>

<i>Q-8. When you rode a bicycle during the past 12 months, how often did you wear a helmet?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not ride a bicycle during the past 12 months	403	32.1%
b. Never wore a helmet	704	56.0%
c. Rarely wore a helmet	66	5.3%
d. Sometimes wore a helmet	29	2.3%
e. Most of the time wore a helmet	24	1.9%
f. Always wore a helmet	31	2.5%
<b>Total</b>	<b>1,257</b>	<b>100.0%</b>

<i>Q-9. How often do you wear your seat belt when riding in a car driven by someone else?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Never	84	6.8%
b. Rarely	174	14.1%
c. Sometimes	257	20.8%
d. Most of the time	355	28.7%
e. Always	368	29.7%
<b>Total</b>	<b>1,238</b>	<b>100.0%</b>

<i>Q-10. How often do you wear a seat belt when driving a car?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I do not drive a car	308	24.6%
b. Never	95	7.6%
c. Rarely	138	11.0%
d. Sometimes	144	11.5%
e. Most of the time	184	14.7%
f. Always	382	30.5%
<b>Total</b>	<b>1,251</b>	<b>100.0%</b>

<i>Q-11. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	809	64.4%
b. 1 time	139	11.1%
c. 2 or 3 times	163	13.0%
d. 4 or 5 times	43	3.4%
e. 6 or more times	103	8.2%
<b>Total</b>	<b>1,257</b>	<b>100.0%</b>

# 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

## HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

### FOR STUDENTS WITH DISABILITIES

<i>Q-12. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	1,030	81.9%
b. 1 time	82	6.5%
c. 2 or 3 times	75	6.0%
d. 4 or 5 times	14	1.1%
e. 6 or more times	56	4.5%
<b>Total</b>	<b>1,257</b>	<b>100.0%</b>

<i>Q-13. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	889	71.2%
b. 1 day	65	5.2%
c. 2 or 3 days	69	5.5%
d. 4 or 5 days	31	2.5%
e. 6 or more days	194	15.5%
<b>Total</b>	<b>1,248</b>	<b>100.0%</b>

<i>Q-14. During the past 30 days, on how many days did you carry a gun?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	1,077	85.2%
b. 1 day	51	4.0%
c. 2 or 3 days	39	3.1%
d. 4 or 5 days	27	2.1%
e. 6 or more days	70	5.5%
<b>Total</b>	<b>1,264</b>	<b>100.0%</b>

<i>Q-15. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or a club on school property?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	1,090	86.6%
b. 1 day	25	2.0%
c. 2 or 3 days	29	2.3%
d. 4 or 5 days	15	1.2%
e. 6 or more days	99	7.9%
<b>Total</b>	<b>1,258</b>	<b>100.0%</b>

<i>Q-16. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	1,155	92.0%
b. 1 day	46	3.7%
c. 2 or 3 days	24	1.9%
d. 4 or 5 days	9	0.7%
e. 6 or more days	22	1.8%
<b>Total</b>	<b>1,256</b>	<b>100.0%</b>

# 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

## HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

### FOR STUDENTS WITH DISABILITIES

<i>Q-17. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,135	89.8%
b. 1 time	45	3.6%
c. 2 or 3 times	33	2.6%
d. 4 or 5 times	8	0.6%
e. 6 or 7 times	8	0.6%
f. 8 or 9 times	2	0.2%
g. 10 or 11 times	0	0.0%
h. 12 or more times	33	2.6%
<b>Total</b>	<b>1,264</b>	<b>100.0%</b>

<i>Q-18. During the past 12 months, how many times were you in a physical fight?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	734	58.3%
b. 1 time	229	18.2%
c. 2 or 3 times	161	12.8%
d. 4 or 5 times	43	3.4%
e. 6 or 7 times	26	2.1%
f. 8 or 9 times	15	1.2%
g. 10 or 11 times	8	0.6%
h. 12 or more times	44	3.5%
<b>Total</b>	<b>1,260</b>	<b>100.0%</b>

<i>Q-19. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,165	93.1%
b. 1 time	50	4.0%
c. 2 or 3 times	21	1.7%
d. 4 or 5 times	2	0.2%
e. 6 or more times	13	1.0%
<b>Total</b>	<b>1,251</b>	<b>100.0%</b>

<i>Q-20. During the past 12 months, how many times were you in a physical fight on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,045	82.9%
b. 1 time	127	10.1%
c. 2 or 3 times	55	4.4%
d. 4 or 5 times	8	0.6%
e. 6 or 7 times	5	0.4%
f. 8 or 9 times	1	0.1%
g. 10 or 11 times	0	0.0%
h. 12 or more times	19	1.5%
<b>Total</b>	<b>1,260</b>	<b>100.0%</b>

<i>Q-21. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	174	14.0%
b. No	1,070	86.0%
<b>Total</b>	<b>1,244</b>	<b>100.0%</b>

# 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

## HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

### FOR STUDENTS WITH DISABILITIES

Q-22. Have you ever been forced to have sexual intercourse when you did not want to?	<u>Count</u>	<u>Percent</u>
a. Yes	167	13.4%
b. No	1,081	86.6%
<b>Total</b>	<b>1,248</b>	<b>100.0%</b>
Q-23. During the past 12 months, have you ever been bullied on school property?	<u>Count</u>	<u>Percent</u>
a. Yes	414	33.0%
b. No	841	67.0%
<b>Total</b>	<b>1,255</b>	<b>100.0%</b>
Q-24. During the past 12 months, have you ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging?	<u>Count</u>	<u>Percent</u>
a. Yes	268	21.3%
b. No	989	78.7%
<b>Total</b>	<b>1,257</b>	<b>100.0%</b>
Q-25. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?	<u>Count</u>	<u>Percent</u>
a. Yes	462	37.3%
b. No	776	62.7%
<b>Total</b>	<b>1,238</b>	<b>100.0%</b>
Q-26. During the past 12 months, did you ever seriously consider attempting suicide?	<u>Count</u>	<u>Percent</u>
a. Yes	300	23.9%
b. No	953	76.1%
<b>Total</b>	<b>1,253</b>	<b>100.0%</b>
Q-27. During the past 12 months, did you make a plan about how you would attempt suicide?	<u>Count</u>	<u>Percent</u>
a. Yes	251	20.1%
b. No	997	79.9%
<b>Total</b>	<b>1,248</b>	<b>100.0%</b>
Q-28. During the past 12 months, how many times did you actually attempt suicide?	<u>Count</u>	<u>Percent</u>
a. 0 times	1,050	84.0%
b. 1 time	127	10.2%
c. 2 or 3 times	40	3.2%
d. 4 or 5 times	3	0.2%
e. 6 or more times	30	2.4%
<b>Total</b>	<b>1,250</b>	<b>100.0%</b>

# 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

## HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

### FOR STUDENTS WITH DISABILITIES

<i>Q-29. If you attempted suicide during the past 12 months, did any attempt result in injury, poisoning, or overdose that had to be treated by a doctor or nurse?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not attempt suicide during the past 12 months	975	77.7%
b. Yes	85	6.8%
c. No	195	15.5%
<b>Total</b>	<b>1,255</b>	<b>100.0%</b>

<i>Q-30. Have you ever tried cigarette smoking, even one or two puffs?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	781	62.8%
b. No	463	37.2%
<b>Total</b>	<b>1,244</b>	<b>100.0%</b>

<i>Q-31. How old were you when you smoked a whole cigarette for the first time?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never smoked a whole cigarette	610	49.1%
b. 8 years old or younger	78	6.3%
c. 9 or 10 years old	66	5.3%
d. 11 or 12 years old	134	10.8%
e. 13 or 14 years old	180	14.5%
f. 15 or 16 years old	144	11.6%
g. 17 years old or older	30	2.4%
<b>Total</b>	<b>1,242</b>	<b>100.0%</b>

<i>Q-32. During the past 30 days, on how many days did you smoke cigarettes?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	859	68.2%
b. 1 or 2 days	115	9.1%
c. 3 to 5 days	36	2.9%
d. 6 to 9 days	38	3.0%
e. 10 to 19 days	43	3.4%
f. 20 to 29 days	36	2.9%
g. All 30 days	133	10.6%
<b>Total</b>	<b>1,260</b>	<b>100.0%</b>

<i>Q-33. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not smoke cigarettes during the past 30 days	860	68.4%
b. Less than 1 cigarette per day	92	7.3%
c. 1 cigarette per day	74	5.9%
d. 2 to 5 cigarettes per day	143	11.4%
e. 6 to 10 cigarettes per day	45	3.6%
f. 11 to 20 cigarettes per day	25	2.0%
g. More than 20 cigarettes per day	18	1.4%
<b>Total</b>	<b>1,257</b>	<b>100.0%</b>

# 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

## HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

### FOR STUDENTS WITH DISABILITIES

<b>Q-34. During the past 30 days, how did you usually get your own cigarettes?</b> (Select only one response)	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not smoke cigarettes during the past 30 days	848	68.2%
b. I bought them in a store such as a convenience store, supermarket, discount store, or gas station	66	5.3%
c. I bought them from a vending machine	8	0.6%
d. I gave someone else money to buy them for me	126	10.1%
e. I borrowed them from someone else	96	7.7%
f. A person 18 years old or older gave them to me	24	1.9%
g. I took them from a store or family member	19	1.5%
h. I got them some other way	57	4.6%
<b>Total</b>	<b>1,244</b>	<b>100.0%</b>

<b>Q-35. During the past 30 days, on how many days did you smoke cigarettes on school property?</b>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	1,121	89.0%
b. 1 or 2 days	54	4.3%
c. 3 to 5 days	23	1.8%
d. 6 to 9 days	15	1.2%
e. 10 to 19 days	11	0.9%
f. 20 to 29 days	7	0.6%
g. All 30 days	29	2.3%
<b>Total</b>	<b>1,260</b>	<b>100.0%</b>

<b>Q-36. Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?</b>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	296	23.8%
b. No	950	76.2%
<b>Total</b>	<b>1,246</b>	<b>100.0%</b>

<b>Q-37. During the past 12 months, did you ever try to quit smoking cigarettes?</b>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not smoke during the past 12 months	790	63.3%
b. Yes	281	22.5%
c. No	177	14.2%
<b>Total</b>	<b>1,248</b>	<b>100.0%</b>

<b>Q-38. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garret, Beechnut, Skoal, Skoal Bandits, or Copenhagen?</b>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	1,008	79.9%
b. 1 or 2 days	63	5.0%
c. 3 to 5 days	30	2.4%
d. 6 to 9 days	35	2.8%
e. 10 to 19 days	27	2.1%
f. 20 to 29 days	16	1.3%
g. All 30 days	83	6.6%
<b>Total</b>	<b>1,262</b>	<b>100.0%</b>

# 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

## HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

### FOR STUDENTS WITH DISABILITIES

<i>Q-39. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	1,079	85.6%
b. 1 or 2 days	50	4.0%
c. 3 to 5 days	27	2.1%
d. 6 to 9 days	16	1.3%
e. 10 to 19 days	27	2.1%
f. 20 to 29 days	13	1.0%
g. All 30 days	49	3.9%
<b>Total</b>	<b>1,261</b>	<b>100.0%</b>

<i>Q-40. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	1,050	83.3%
b. 1 or 2 days	107	8.5%
c. 3 to 5 days	37	2.9%
d. 6 to 9 days	22	1.7%
e. 10 to 19 days	10	0.8%
f. 20 to 29 days	5	0.4%
g. All 30 days	30	2.4%
<b>Total</b>	<b>1,261</b>	<b>100.0%</b>

<i>Q-41. During your life, on how many days did you have at least one drink of alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	305	24.3%
b. 1 or 2 days	187	14.9%
c. 3 to 9 days	186	14.8%
d. 10 to 19 days	142	11.3%
e. 20 to 39 days	127	10.1%
f. 40 to 99 days	109	8.7%
g. 100 or more days	198	15.8%
<b>Total</b>	<b>1,254</b>	<b>100.0%</b>

<i>Q-42. How old were you when you had your first drink of alcohol other than a few sips?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had a drink of alcohol other than a few sips	281	22.4%
b. 8 years old or younger	156	12.4%
c. 9 or 10 years old	99	7.9%
d. 11 or 12 years old	153	12.2%
e. 13 or 14 years old	318	25.4%
f. 15 or 16 years old	207	16.5%
g. 17 years old or older	40	3.2%
<b>Total</b>	<b>1,254</b>	<b>100.0%</b>



# 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

## HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

### FOR STUDENTS WITH DISABILITIES

<i>Q-43. During the past 30 days, on how many days did you have at least one drink of alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	689	54.9%
b. 1 or 2 days	233	18.6%
c. 3 to 5 days	141	11.2%
d. 6 to 9 days	88	7.0%
e. 10 to 19 days	58	4.6%
f. 20 to 29 days	17	1.4%
g. All 30 days	30	2.4%
<b>Total</b>	<b>1,256</b>	<b>100.0%</b>

<i>Q-44. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	844	66.7%
b. 1 day	127	10.0%
c. 2 days	88	7.0%
d. 3 to 5 days	99	7.8%
e. 6 to 9 days	59	4.7%
f. 10 to 19 days	20	1.6%
g. 20 or more days	28	2.2%
<b>Total</b>	<b>1,265</b>	<b>100.0%</b>

<i>Q-45. During the past 30 days, how did you usually get the alcohol you drank?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not drink alcohol during the past 30 days	664	53.0%
b. I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	28	2.2%
c. I bought it at a restaurant, bar, or club	10	0.8%
d. I bought it at a public event such as a concert or sporting event	10	0.8%
e. I gave someone else money to buy it for me	170	13.6%
f. Someone gave it to me	187	14.9%
g. I took it from a store or family member	42	3.4%
h. I got it some other way	141	11.3%
<b>Total</b>	<b>1,252</b>	<b>100.0%</b>

<i>Q-46. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	1,126	91.2%
b. 1 or 2 days	51	4.1%
c. 3 to 5 days	27	2.2%
d. 6 to 9 days	7	0.6%
e. 10 to 19 days	6	0.5%
f. 20 to 29 days	2	0.2%
g. All 30 days	15	1.2%
<b>Total</b>	<b>1,234</b>	<b>100.0%</b>

# 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

## HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

### FOR STUDENTS WITH DISABILITIES

<i>Q-47. During your life, how many times have you used marijuana?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	721	57.4%
b. 1 or 2 times	110	8.8%
c. 3 to 9 times	91	7.2%
d. 10 to 19 times	58	4.6%
e. 20 to 39 times	43	3.4%
f. 40 to 99 times	53	4.2%
g. 100 or more times	181	14.4%
<b>Total</b>	<b>1,257</b>	<b>100.0%</b>

<i>Q-48. How old were you when you tried marijuana for the first time?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never tried marijuana	715	56.7%
b. 8 years old or younger	61	4.8%
c. 9 or 10 years old	30	2.4%
d. 11 or 12 years old	81	6.4%
e. 13 or 14 years old	192	15.2%
f. 15 or 16 years old	139	11.0%
g. 17 years old or older	43	3.4%
<b>Total</b>	<b>1,261</b>	<b>100.0%</b>

<i>Q-49. During the past 30 days, how many times did you use marijuana?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	924	74.2%
b. 1 or 2 times	86	6.9%
c. 3 to 9 times	72	5.8%
d. 10 to 19 times	40	3.2%
e. 20 to 39 times	36	2.9%
f. 40 or more times	87	7.0%
<b>Total</b>	<b>1,245</b>	<b>100.0%</b>

<i>Q-50. During the past 30 days, how many times did you use marijuana on school property?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	1,153	91.7%
b. 1 or 2 times	50	4.0%
c. 3 to 9 times	18	1.4%
d. 10 to 19 times	7	0.6%
e. 20 to 39 times	10	0.8%
f. 40 or more times	19	1.5%
<b>Total</b>	<b>1,257</b>	<b>100.0%</b>

<i>Q-51. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	1,142	90.6%
b. 1 or 2 times	41	3.3%
c. 3 to 9 times	27	2.1%
d. 10 to 19 times	14	1.1%
e. 20 to 39 times	9	0.7%
f. 40 or more times	27	2.1%
<b>Total</b>	<b>1,260</b>	<b>100.0%</b>

# 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

## HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

### FOR STUDENTS WITH DISABILITIES

<i>Q-52. During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,183	95.0%
b. 1 or 2 times	19	1.5%
c. 3 to 9 times	13	1.0%
d. 10 to 19 times	10	0.8%
e. 20 to 39 times	3	0.2%
f. 40 or more times	17	1.4%
<b>Total</b>	<b>1,245</b>	<b>100.0%</b>

<i>Q-53. During your life, how many times have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,034	82.0%
b. 1 or 2 times	104	8.2%
c. 3 to 9 times	55	4.4%
d. 10 to 19 times	24	1.9%
e. 20 to 39 times	16	1.3%
f. 40 or more times	28	2.2%
<b>Total</b>	<b>1,261</b>	<b>100.0%</b>

<i>Q-54. During your life, how many times have you used heroin (also called smack, junk, or China White)?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,200	95.2%
b. 1 or 2 times	17	1.3%
c. 3 to 9 times	14	1.1%
d. 10 to 19 times	6	0.5%
e. 20 to 39 times	4	0.3%
f. 40 or more times	19	1.5%
<b>Total</b>	<b>1,260</b>	<b>100.0%</b>

<i>Q-55. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,188	94.7%
b. 1 or 2 times	26	2.1%
c. 3 to 9 times	13	1.0%
d. 10 to 19 times	3	0.2%
e. 20 to 39 times	4	0.3%
f. 40 or more times	20	1.6%
<b>Total</b>	<b>1,254</b>	<b>100.0%</b>

<i>Q-56. During your life, how many times have you used ecstasy (also called MDMA)?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,142	90.3%
b. 1 or 2 times	57	4.5%
c. 3 to 9 times	28	2.2%
d. 10 to 19 times	11	0.9%
e. 20 to 39 times	4	0.3%
f. 40 or more times	22	1.7%
<b>Total</b>	<b>1,264</b>	<b>100.0%</b>

# 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

## HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

### FOR STUDENTS WITH DISABILITIES

<i>Q-57. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,190	94.5%
b. 1 or 2 times	25	2.0%
c. 3 to 9 times	13	1.0%
d. 10 to 19 times	6	0.5%
e. 20 to 39 times	6	0.5%
f. 40 or more times	19	1.5%
<b>Total</b>	<b>1,259</b>	<b>100.0%</b>

<i>Q-58. During your life, how many times have you used a needle to inject any illegal drug into your body?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,195	94.7%
b. 1 time	25	2.0%
c. 2 or more times	42	3.3%
<b>Total</b>	<b>1,262</b>	<b>100.0%</b>

<i>Q-59. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	326	26.1%
b. No	925	73.9%
<b>Total</b>	<b>1,251</b>	<b>100.0%</b>

<i>Q-60. Have you ever had sexual intercourse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	681	54.6%
b. No	567	45.4%
<b>Total</b>	<b>1,248</b>	<b>100.0%</b>

<i>Q-61. How old were you when you had sexual intercourse for the first time?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	590	47.2%
b. 11 years old or younger	92	7.4%
c. 12 years old	51	4.1%
d. 13 years old	83	6.6%
e. 14 years old	135	10.8%
f. 15 years old	150	12.0%
g. 16 years old	101	8.1%
h. 17 years old or older	48	3.8%
<b>Total</b>	<b>1,250</b>	<b>100.0%</b>

<i>Q-62. During your life, with how many people have you had sexual intercourse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	604	48.2%
b. 1 person	186	14.8%
c. 2 people	112	8.9%
d. 3 people	87	6.9%
e. 4 people	63	5.0%
f. 5 people	44	3.5%
g. 6 or more people	158	12.6%
<b>Total</b>	<b>1,254</b>	<b>100.0%</b>

# **2009 MONTANA YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS FOR STUDENTS WITH DISABILITIES**

<i>Q-63. During the past 3 months, with how many people did you have sexual intercourse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	609	48.5%
b. I have had sexual intercourse, but not during the past 3 months	218	17.4%
c. 1 person	276	22.0%
d. 2 people	72	5.7%
e. 3 people	23	1.8%
f. 4 people	14	1.1%
g. 5 people	9	0.7%
h. 6 or more people	34	2.7%
<b>Total</b>	<b>1,255</b>	<b>100.0%</b>

<i>Q-64. Did you drink alcohol or use drugs before you had sexual intercourse the last time?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	579	46.7%
b. Yes	222	17.9%
c. No	440	35.5%
<b>Total</b>	<b>1,241</b>	<b>100.0%</b>

<i>Q-65. The last time you had sexual intercourse, did you or your partner use a condom?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	595	47.8%
b. Yes	419	33.7%
c. No	230	18.5%
<b>Total</b>	<b>1,244</b>	<b>100.0%</b>

<i>Q-66. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	594	47.7%
b. No method was used to prevent pregnancy	94	7.6%
c. Birth control pills	101	8.1%
d. Condoms	339	27.3%
e. Depo-Provera	30	2.4%
f. Withdrawal	32	2.6%
g. Some other method	22	1.8%
h. Not sure	32	2.6%
<b>Total</b>	<b>1,244</b>	<b>100.0%</b>

<i>Q-67. How do you describe your weight?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Very underweight	65	5.3%
b. Slightly underweight	140	11.4%
c. About the right weight	599	48.6%
d. Slightly overweight	359	29.1%
e. Very overweight	70	5.7%
<b>Total</b>	<b>1,233</b>	<b>100.0%</b>

# 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

## HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

### FOR STUDENTS WITH DISABILITIES

Q-68. Which of the following are you trying to do about your weight?	<u>Count</u>	<u>Percent</u>
a. Lose weight	603	48.0%
b. Gain weight	198	15.8%
c. Stay the same weight	214	17.1%
d. I am not trying to do anything about my weight	240	19.1%
<b>Total</b>	<b>1,255</b>	<b>100.0%</b>
Q-69. During the past 30 days, did you exercise to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	771	62.2%
b. No	469	37.8%
<b>Total</b>	<b>1,240</b>	<b>100.0%</b>
Q-70. During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	519	41.7%
b. No	727	58.3%
<b>Total</b>	<b>1,246</b>	<b>100.0%</b>
Q-71. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	257	20.6%
b. No	990	79.4%
<b>Total</b>	<b>1,247</b>	<b>100.0%</b>
Q-72. During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's prescription to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	117	9.4%
b. No	1,129	90.6%
<b>Total</b>	<b>1,246</b>	<b>100.0%</b>
Q-73. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?	<u>Count</u>	<u>Percent</u>
a. Yes	117	9.6%
b. No	1,102	90.4%
<b>Total</b>	<b>1,219</b>	<b>100.0%</b>
Q-74. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?	<u>Count</u>	<u>Percent</u>
a. I did not drink 100% fruit juice during the past 7 days	318	25.3%
b. 1 to 3 times during the past 7 days	442	35.2%
c. 4 to 6 times during the past 7 days	224	17.8%
d. 1 time per day	79	6.3%
e. 2 times per day	90	7.2%
f. 3 times per day	39	3.1%
g. 4 or more times per day	65	5.2%
<b>Total</b>	<b>1,257</b>	<b>100.0%</b>

# 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

## HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

### FOR STUDENTS WITH DISABILITIES

<i>Q-75. During the past 7 days, how many times did you eat fruit?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat fruit during the past 7 days	176	14.1%
b. 1 to 3 times during the past 7 days	508	40.7%
c. 4 to 6 times during the past 7 days	255	20.4%
d. 1 time per day	104	8.3%
e. 2 times per day	111	8.9%
f. 3 times per day	47	3.8%
g. 4 or more times per day	47	3.8%
<b>Total</b>	<b>1,248</b>	<b>100.0%</b>

<i>Q-76. During the past 7 days, how many times did you eat green salad?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat green salad during the past 7 days	405	32.5%
b. 1 to 3 times during the past 7 days	499	40.0%
c. 4 to 6 times during the past 7 days	182	14.6%
d. 1 time per day	94	7.5%
e. 2 times per day	34	2.7%
f. 3 times per day	6	0.5%
g. 4 or more times per day	27	2.2%
<b>Total</b>	<b>1,247</b>	<b>100.0%</b>

<i>Q-77. During the past 7 days, how many times did you eat potatoes?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat potatoes during the past 7 days	371	29.4%
b. 1 to 3 times during the past 7 days	604	47.9%
c. 4 to 6 times during the past 7 days	177	14.0%
d. 1 time per day	56	4.4%
e. 2 times per day	21	1.7%
f. 3 times per day	12	1.0%
g. 4 or more times per day	19	1.5%
<b>Total</b>	<b>1,260</b>	<b>100.0%</b>

<i>Q-78. During the past 7 days, how many times did you eat carrots?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat carrots during the past 7 days	604	48.0%
b. 1 to 3 times during the past 7 days	470	37.3%
c. 4 to 6 times during the past 7 days	101	8.0%
d. 1 time per day	35	2.8%
e. 2 times per day	23	1.8%
f. 3 times per day	8	0.6%
g. 4 or more times per day	18	1.4%
<b>Total</b>	<b>1,259</b>	<b>100.0%</b>

<i>Q-79. During the past 7 days, how many times did you eat other vegetables?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat other vegetables during the past 7 days	245	19.7%
b. 1 to 3 times during the past 7 days	533	42.8%
c. 4 to 6 times during the past 7 days	241	19.3%
d. 1 time per day	115	9.2%
e. 2 times per day	56	4.5%
f. 3 times per day	26	2.1%
g. 4 or more times per day	30	2.4%
<b>Total</b>	<b>1,246</b>	<b>100.0%</b>

# **2009 MONTANA YOUTH RISK BEHAVIOR SURVEY** **HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS** **FOR STUDENTS WITH DISABILITIES**

<i>Q-80. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not drink a soda or pop during the past 7 days	226	18.0%
b. 1 to 3 times during the past 7 days	404	32.2%
c. 4 to 6 times during the past 7 days	223	17.8%
d. 1 time per day	128	10.2%
e. 2 times per day	112	8.9%
f. 3 times per day	60	4.8%
g. 4 or more times per day	102	8.1%
<b>Total</b>	<b>1,255</b>	<b>100.0%</b>

<i>Q-81. During the past 7 days, how many glasses of milk did you drink?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not drink milk during the past 7 days	196	15.6%
b. 1 to 3 glasses during the past 7 days	274	21.9%
c. 4 to 6 glasses during the past 7 days	195	15.6%
d. 1 glass per day	161	12.8%
e. 2 glasses per day	175	14.0%
f. 3 glasses per day	117	9.3%
g. 4 or more glasses per day	136	10.8%
<b>Total</b>	<b>1,254</b>	<b>100.0%</b>

<i>Q-82. During the past 7 days on how many days were you physically active for a total of at least 60 minutes per day?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	226	18.3%
b. 1 day	138	11.2%
c. 2 days	122	9.9%
d. 3 days	116	9.4%
e. 4 days	101	8.2%
f. 5 days	160	13.0%
g. 6 days	99	8.0%
h. 7 days	273	22.1%
<b>Total</b>	<b>1,235</b>	<b>100.0%</b>

<i>Q-83. On an average school day, how many hours do you watch TV?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I do not watch TV on an average school day	226	18.1%
b. Less than 1 hour per day	231	18.5%
c. 1 hour per day	187	15.0%
d. 2 hours per day	269	21.6%
e. 3 hours per day	168	13.5%
f. 4 hours per day	74	5.9%
g. 5 or more hours per day	92	7.4%
<b>Total</b>	<b>1,247</b>	<b>100.0%</b>



# 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

## HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

### FOR STUDENTS WITH DISABILITIES

<i>Q-84. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I do not play video or computer games or use a computer for something that is not school work	300	24.0%
b. Less than 1 hour per day	310	24.8%
c. 1 hour per day	201	16.1%
d. 2 hours per day	174	13.9%
e. 3 hours per day	106	8.5%
f. 4 hours per day	59	4.7%
g. 5 or more hours per day	102	8.1%
<b>Total</b>	<b>1,252</b>	<b>100.0%</b>
<i>Q-85. In an average week when you are in school, on how many days do you go to physical education (PE) classes?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	481	38.8%
b. 1 day	36	2.9%
c. 2 days	61	4.9%
d. 3 days	158	12.8%
e. 4 days	68	5.5%
f. 5 days	435	35.1%
<b>Total</b>	<b>1,239</b>	<b>100.0%</b>
<i>Q-86. During the past 12 months, on how many sports teams did you play?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 teams	599	47.9%
b. 1 team	277	22.1%
c. 2 teams	184	14.7%
d. 3 or more teams	191	15.3%
<b>Total</b>	<b>1,251</b>	<b>100.0%</b>
<i>Q-87. Have you ever been taught about AIDS/HIV infection in school?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	1,003	80.0%
b. No	151	12.1%
c. Not sure	99	7.9%
<b>Total</b>	<b>1,253</b>	<b>100.0%</b>
<i>Q-88. Has a doctor or nurse ever told you that you have asthma?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	346	28.0%
b. No	811	65.7%
c. Not sure	78	6.3%
<b>Total</b>	<b>1,235</b>	<b>100.0%</b>
<i>Q-89. Do you still have asthma?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had asthma	688	55.0%
b. Yes	257	20.5%
c. No	181	14.5%
d. Not sure	125	10.0%
<b>Total</b>	<b>1,251</b>	<b>100.0%</b>

# **2009 MONTANA YOUTH RISK BEHAVIOR SURVEY HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS FOR STUDENTS WITH DISABILITIES**

<i>Q-90. During the past 12 months, did you receive help from a resource teacher, speech therapist, or other special education teacher at school?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	1,266	100.0%
b. No	0	0.0%
<b>Total</b>	<b>1,266</b>	<b>100.0%</b>

<i>Q-91. Do you drive, and did you complete driver education (classroom and behind-the-wheel)?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. No, doesn't drive, doesn't have license or permit, did not complete driver ed	422	34.4%
b. No, doesn't drive, doesn't have license or permit, but completed driver ed	96	7.8%
c. Yes, drives, has a valid license or permit, but did not complete driver ed	66	5.4%
d. Yes drives, has valid license or permit and completed driver ed	513	41.8%
e. Yes, drives on public roads, but does not have a valid license or permit	131	10.7%
<b>Total</b>	<b>1,228</b>	<b>100.0%</b>